

Notified Body No. 2812

Certificate of Constancy of Performance

2812-CPR-AG5138

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Frelan JL-HDB63, JL-HDB76, JL-HDB102 Heavy Duty Tubular Deadbolts

Intended use: For use on fire/smoke compartmentation doors

Essential characteristics	Performance	Harmonised technical specification
	Mechanical test evidence: WIL360180 & WIL372342 Fire test evidence: WF358393 & 358389	
Self closing 5.4.2 Closing force 5.1.2 Re-latching force of latch bolt	NPD NPD	EN 12209:2003/AC 2005
Durability of self closing 5.3.1 Durability of latch action	NPD	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1	
Control of Dangerous substances	If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

Certificate of Constancy of Performance

2812-CPR-AG5138

Placed on the Market under the Name of:

**Frelan Hardware
Unit 10 Mitcham Industrial Estate
Streatham Road
Mitcham
Surrey
CR4 2AP
United Kingdom**

and produced in the manufacturing plant

CUC89710-6

This is coded format and the information is held by the Notified Body.

This certificate attests that all provisions concerning the Assessment and Verification of Constancy of Performance described in Annex ZA of the standard(s):

EN 12209:2003/AC 2005

Under System 1 for the performance set out in this certificate are applied and that the Factory Production Control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **21/10/2020** and reissued on **19/08/2024** and will remain valid as long as neither the harmonised standard, the Construction Product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Notified Product Certification Body.

CE Marking certificate valid to: **19/07/2027**

ERO Project Reference: **ERO 034621 P2335**



Pascal Coget
General manager – European Certification